

中国认可
检测
TESTING
CNAS L3788

Analytical Report

Sample Code	502-2023-00169215	Report date	05-Jan-2024
Certificate No.	AR-24-SU-001838-01-EN		



Animate Bio-Tech Co.,Ltd.

Room 10603, Building 2, No. 170 West Avenue,
High tech Zone, Xi'an, Shaanxi, China.

Sample Code:	502-2023-00169215
Client Sample Code:	231205
Sample described as:	黄茛甲甘
Sample Packaging:	Sealed aluminum foil bag
Analysis Type:	Consignment Testing
Sample reception date:	30-Dec-2023
Analysis Starting Date:	31-Dec-2023
Analysis Ending Date:	05-Jan-2024

Arrival Temperature (°C)	15.0	Sample Weight	100g
Sample Condition	Powder		

	Results	Unit	LOQ	LOD
Method: BS EN 12393:2013				
△# SUS36 Pesticide Screening(GC) Selected Parameter(s)				
Anthraquinone	0.091	mg/kg	0.01	
Folpet	<LOQ	mg/kg	0.05	
Folpet/PI (Sum calculated as Folpet)	0.49	mg/kg		
Phthalimide (PI)	0.24	mg/kg	0.05	
Method: BS EN 12393:2013				
# SUS01 Pesticide Screening(GC)				
Screened pesticides	<LOQ	mg/kg		

List of screened molecules

SUS01	Pesticide Screening(GC) (201 parameters)(LOQ* mg/kg)			
△ 2-Phenylphenol (0.01)	△ Acetochlor (0.01)	△ Aclonifen (0.05)	△ Aldrin (0.01)	△ Ametryne (0.01)
△ Atrazine (0.01)	△ Benfluralin (0.01)	△ Bifenox (0.02)	△ Bifenthrin (0.01)	△ Biphenyl (0.01)
△ Bromophos (0.01)	△ Bromophos-ethyl (0.01)	△ Bromopropylate (0.01)	△ Butachlor (0.01)	△ Butafenacil (0.01)
△ Captan (0.05)	△ Captan (0.05)	△ Captan/THPI (Sum calculated as Captan) (0.01)	△ Carbophenothion (0.01)	△ Carbophenothion-methyl (0.01)
△ Chlorbenseide (0.01)	△ Chlordane (Sum) (0.01)	△ Chlordane, alpha (0.01)	△ Chlordane, gamma (0.01)	△ Chlorfenapyr (0.03)
△ Chlorfenvinphos (0.01)	△ Chlormephos (0.05)	△ Chlorobenzilate (0.01)	△ Chloroneb (0.02)	△ Chloropropylate (0.01)
△ Chlorpyrifos-methyl (0.01)	△ Chlorthal-dimethyl (0.01)	△ Chlorthion (0.05)	△ Chlorthion (0.05)	△ Crufomate (0.01)
△ Cyanofenphos (0.01)	△ Cyanophos (0.02)	△ Cyfluthrin (0.05)	△ Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-) (0.02)	△ Cypermethrin (sum of isomers) (0.05)
△ DDD, o,p'- (0.01)	△ DDD, p,p'- (0.01)	△ DDE, o,p'- (0.01)	△ DDE, p,p'- (0.01)	△ DDT (Sum) (0.01)
△ DDT, p,p'- (0.01)	△ Deltamethrin (0.02)	△ Dichlobenil (0.01)	△ Dichlofenthion (0.01)	△ Dichlorfluorid (0.01)
△ Dicloran (0.02)	△ Dicofof (Sum) (0.01)	△ Dicofof, o,p'- (0.02)	△ Dicofof, p,p'- (0.02)	△ Dieldrin (0.02)
△ Dienochlor (0.05)	△ Dinobuton (0.05)	△ Dioxabenzofos (0.01)	△ Dioxathion (0.02)	△ Diphenylamine (0.01)
△ Endosulfan (Sum) (0.01)	△ Endosulfan, alpha- (0.02)	△ Endosulfan, beta- (0.01)	△ Endosulfan, sulfat- (0.01)	△ Endrin (0.01)
△ Ethalfluralin (0.01)	△ Ethion (0.01)	△ Etridiazole (0.01)	△ Etrifos (0.01)	△ Famoxadone (0.02)
△ Fenchlorphos (0.01)	△ Fenchlorphos (sum) (0.01)	△ Fenchlorphos oxon (0.01)	△ Fenfluthrin (0.02)	△ Fenitrothion (0.01)
△ Fenson (0.01)	△ Fenvalerate & Esfenvalerate (Sum of RS&SR isomers) (0.01)	△ Fenvalerate & Esfenvalerate (sum of RR,SS,RS,SR) (0.01)	△ Fenvalerate & Esfenvalerate (Sum of RR&SS isomers) (0.01)	△ Fluchloral (0.01)
△ Flumetralin (0.02)	△ Flumioxazin (0.02)	△ Fluorimazole (0.01)	△ Fluquinconazole (0.01)	△ Fluvalinate-tau (0.02)
△ Halfenprox (0.01)	△ HCB (0.01)	△ HCH gamma(Lindan) (0.01)	△ HCH, alpha- (0.01)	△ HCH, beta- (0.01)
△ HCH, epsilon- (0.01)	△ Heptachlor (0.01)	△ Heptachlor (Sum) (0.01)	△ Heptachlor epoxide cis (0.01)	△ Heptachlor epoxide trans (0.01)
△ Iprobenfos (0.01)	△ Isazofos (0.01)	△ Isocarbophos (0.02)	△ Isodrin (0.01)	△ Isofenphos (0.01)
△ Isoprothiolane (0.01)	△ Jodfenphos (0.01)	△ Kresoxim-methyl (0.01)	△ Landrin (0.02)	△ Malaoxon (0.05)
△ Mecarbam (0.02)	△ Meproinil (0.01)	△ Methacirfos (0.01)	△ Methidathion (0.02)	△ Methoxychlor (0.02)
△ Metribuzin (0.02)	△ Mevinphos (0.02)	△ Mirex (0.01)	△ N-Desethyl-pirimiphos-methyl (0.01)	△ Nitrapyrin (0.01)
△ Nitrothal-isopropyl (0.01)	△ Octachlorodipropyl ether (S-421) (0.02)	△ Ofurace (0.02)	△ Oxadiazon (0.01)	△ Oxychlordane (0.01)
				△ Oxyfluorin (0.01)

Eurofins Tech. Service (Suzhou) Co., Ltd
No. 101, Jialingjiang Road, SND
Suzhou 215000
Jiangsu Province, P.R.ChinaPhone +86 400 828 5088
www.eurofins.cn

Scan QR code to view report

Deutsche
Akkreditierungsstelle
D-PL-14292-01-00

△ Paclobutrazol (0.01)	△ Parathion (0.01)	△ Parathion-methyl (0.01)	△ PCB 101 (0.01)	△ PCB 118 (0.01)	△ PCB 138 (0.01)
△ PCB 153 (0.01)	△ PCB 180 (0.01)	△ PCB 28 (0.01)	△ PCB 52 (0.01)	△ Pentachloroaniline (0.01)	△ Pentachloroanisole (0.01)
△ Pentachlorobenzene (0.01)	△ Permethrin (sum of isomers) (0.02)	△ Phenkapton (0.05)	△ Phenothrin (0.02)	△ Phenthoate (0.02)	△ Phorate (0.02)
△ Phosphamidon (0.02)	△ Picoxystrobin (0.01)	△ Piperophos (0.01)	△ Pirimiphos-ethyl (0.01)	△ Procymidone (0.01)	△ Profenofos (0.01)
△ Profluralin (0.01)	△ Prometryn (0.01)	△ Propanil (0.02)	△ Propazine (0.01)	△ Prothiofos (0.01)	△ Pyrazophos (0.01)
△ Pyridalyl (0.01)	△ Pyridaphenthion (0.01)	△ PyrifenoX (0.01)	△ Pyrimethanil (0.01)	△ Quinalphos (0.01)	△ Quintozene (0.01)
△ Quizalofop-P-ethyl (0.01)	△ Silafluofen (0.01)	△ Silthiofam (0.01)	△ Tebufenpyrad (0.01)	△ Tecnazene (0.01)	△ Tefluthrin (0.01)
△ Terbufos (0.01)	△ Tetrachlorvinphos (0.01)	△ Tetradifon (0.01)	△ Tetrahydrophthalimide (THPI) (0.05)	△ Tetramethrin (0.01)	△ Tetrasul (0.01)
△ Tolyfluazid (0.01)	△ Triallate (0.01)	△ Triazamate (0.01)	△ Triazophos (0.01)	△ Trichloronat (0.01)	△ Trifluralin (0.01)
△ Triticnazole (0.02)	△ Uniconazole (0.01)	△ Vinclozolin (0.01)			

SIGNATURE



Wind Shen
Authorized Signatory

EXPLANATORY NOTE

Not Detected means the result is less than LOD

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

For and on behalf of Eurofins Technology Service (Suzhou) Co., Ltd

END OF REPORT

Eurofins Tech. Service (Suzhou) Co., Ltd
No. 101, Jialingjiang Road, SND
Suzhou 215000
Jiangsu Province, P.R.China



Phone +86 400 828 5088
www.eurofins.cn



Scan QR code to view report

中国认可
检测
TESTING
CNAS L3788

检测报告

实验室样品编号

502-2023-00169215

报告日期 2024年01月05日

报告编号

AR-24-SU-001838-01-ZH



西安禹晨生物技术有限公司

西安市高新区西部大道170号丰泽科技园2幢10603室

样品编号：502-2023-00169215
客户样品编号：231205
样品描述：黄芪甲甘
样品包装：密封铝箔袋
检测类型：委托检测
样品接收日期：2023年12月30日
检测开始日期：2023年12月31日
检测结束日期：2024年01月05日

接收时样品温度 (°C) 15.0 样品重量 100g
样品类型 干粉

	结果	单位	定量限	检出限
▲# SUS36 农残扫描(GC) 选择参数 方法: BS EN 12393:2013				
萘醌	0.091	mg/kg	0.01	
灭菌丹	<LOQ	mg/kg	0.05	
灭菌丹 (总量)	0.49	mg/kg		
邻苯二甲酰亚胺	0.24	mg/kg	0.05	
# SUS01 农残扫描(GC) 方法: BS EN 12393:2013				
所有扫描的农药	<LOQ	mg/kg		

完整的参数列表

SUS01

农残扫描(GC) (201项)(LOQ* mg/kg)

▲ 氟唑啉 (0.01)	▲ 烯效唑 (0.01)	▲ (甲)硫磺胺 (0.02)	▲ 2,2',4,5,5'-五氯联苯(PCB 101) (0.01)	▲ 2,2',5,5'-四氯联苯(PCB 52) (0.01)	▲ 2,2',3,4,4',5,5'-七氯联苯(PCB 180) (0.01)
▲ 2,2',3,4,4',5'-六氯联苯(PCB 138) (0.01)	▲ 2,2',4,4',5'-六氯联苯(PCB 153) (0.01)	▲ 2,3',4,4',5'-五氯联苯(PCB 118) (0.01)	▲ 2,4,4'-三氯联苯(PCB 28) (0.01)	▲ 3,4,5-三甲苯 (0.02)	▲ N-去乙基-甲基噻唑啉 (0.01)
▲ α-六六六 (0.01)	▲ β-六六六 (0.01)	▲ γ-六六六(林丹) (0.01)	▲ δ-六六六 (0.01)	▲ ε-六六六 (0.01)	▲ 丁氯消草(乙丁烯氟灵) (0.01)
▲ 丁草胺 (0.01)	▲ 七氯菊酯 (0.01)	▲ 七氯 (0.01)	▲ 七氯总量 (0.01)	▲ 三唑啉 (0.01)	▲ 三氯吡啶 (0.01)
▲ 三氯苯胺 (0.01)	▲ 三氯杀螨醇 (0.01)	▲ 三氯杀螨醇 o,p' (0.02)	▲ 三氯杀螨醇 p,p' (0.02)	▲ 三氯杀螨醇总量 (0.01)	▲ 三硫磷 (0.01)
▲ 丙溴磷 (0.01)	▲ 丙炔氟草胺 (0.02)	▲ 丙硫磷 (0.01)	▲ 丙硫磷 (0.01)	▲ 乙噻硫磷 (0.01)	▲ 乙基溴硫磷 (0.01)
▲ 乙氧氟草胺 (0.01)	▲ 乙炔氟草胺 (0.01)	▲ 乙硫磷 (0.01)	▲ 乙草胺 (0.01)	▲ 二甲胺 (0.01)	▲ 五氯甲氧基苯 (0.01)
▲ 五氯硝基苯 (0.01)	▲ 五氯苯胺 (0.01)	▲ 五氯苯胺 (0.01)	▲ 克氯得(乙菌利) (0.01)	▲ 克氯得(乙菌利) (0.01)	▲ 克菌丹 (0.05)
▲ 克菌丹和四氯邻苯二甲酰亚胺总和(以克菌丹计) (0.01)	▲ 八氯二丙胺 (0.02)	▲ 六氯苯 (0.01)	▲ 反式环氯七氯 (0.01)	▲ 吡啶酮 (0.01)	▲ 吡啶酮 (0.01)
▲ 噻草磷 (0.01)	▲ 噻嗪硫磷 (0.01)	▲ 噻嗪硫磷 (0.01)	▲ 噻草磷 (0.01)	▲ 噻草磷 (0.01)	▲ 噻草磷 (0.01)
▲ 噻唑啉 (0.01)	▲ 噻唑啉 (0.01)	▲ 噻唑啉 (0.01)	▲ 噻唑啉 (0.01)	▲ 噻唑啉 (0.01)	▲ 噻唑啉 (0.01)
▲ 土菌灵 (0.01)	▲ 地茂散(氯苯甲醚) (0.02)	▲ 地虫硫磷 (0.01)	▲ 地虫硫磷 (0.01)	▲ 多效唑 (0.01)	▲ 对硫磷 (0.01)
▲ 庚烯磷 (0.01)	▲ 异柳磷 (0.01)	▲ 异狄氏剂 (0.01)	▲ 异狄氏剂 (0.01)	▲ 异艾剂 (0.01)	▲ 得氯磷 (0.05)
▲ 扑灭津 (0.01)	▲ 扑草净 (0.01)	▲ 敌敌畏 (0.02)	▲ 敌敌畏 (0.02)	▲ 敌敌畏 (0.02)	▲ 敌敌畏 (0.02)
▲ 敌草索(氯酚酸甲酯) (0.01)	▲ 敌草腈 (0.01)	▲ 敌草腈 (0.01)	▲ 敌草腈 (0.01)	▲ 敌草腈 (0.01)	▲ 敌草腈 (0.01)
▲ 杀螟硫磷 (0.01)	▲ 杀螟硫磷 (0.02)	▲ 杀螟硫磷 (0.02)	▲ 杀螟硫磷 (0.02)	▲ 杀螟硫磷 (0.02)	▲ 杀螟硫磷 (0.02)
▲ 氟丙啉草胺 (0.01)	▲ 氟乐灵 (0.01)	▲ 氟乐灵 (0.01)	▲ 氟乐灵 (0.01)	▲ 氟乐灵 (0.01)	▲ 氟乐灵 (0.01)
▲ 氟胺草酮 (0.02)	▲ 氟节胺 (0.02)	▲ 氟节胺 (0.02)	▲ 氟节胺 (0.02)	▲ 氟节胺 (0.02)	▲ 氟节胺 (0.02)
▲ 氟丹 总量 (0.01)	▲ 氟丹 顺式 (0.01)	▲ 氟丹 顺式 (0.01)	▲ 氟丹 顺式 (0.01)	▲ 氟丹 顺式 (0.01)	▲ 氟丹 顺式 (0.01)
▲ 氯(甲)硫磷 (0.05)	▲ 氯硫磷 (0.02)	▲ 氯硫磷 (0.05)	▲ 氯硫磷 (0.05)	▲ 氯硫磷 (0.05)	▲ 氯硫磷 (0.05)
▲ 氟戊菊酯和顺式氟戊菊酯(总量, RR-/SS) (0.01)	▲ 氟戊菊酯和顺式氟戊菊酯(总量, RS-/SR) (0.01)	▲ 氟草津 (0.02)	▲ 氟草津 (0.02)	▲ 氟草津 (0.02)	▲ 氟草津 (0.02)
▲ 溴苯磷 (0.01)	▲ 溴虫腈(虫腈) (0.03)	▲ 溴虫腈 (0.01)	▲ 溴虫腈 (0.01)	▲ 溴虫腈 (0.01)	▲ 溴虫腈 (0.01)
▲ 滴滴涕 p,p'(4,4'-滴滴涕) (0.01)	▲ 滴滴涕 总量 (0.01)	▲ 滴滴涕 o,p' (0.01)	▲ 滴滴涕 o,p' (0.01)	▲ 滴滴涕 p,p'(4,4'-滴滴涕) (0.01)	▲ 滴滴涕 o,p'(2,4'-滴滴涕) (0.01)
▲ 灭蚜磷 (0.02)	▲ 灭蚜磷 (0.01)	▲ 特丁硫磷 (0.01)	▲ 特丁硫磷 (0.01)	▲ 狄氏剂 总量 (0.01)	▲ 狄氏剂 总量 (0.01)
▲ 甲基三硫磷 (0.01)	▲ 甲基五氯苯磺酸盐 (0.01)	▲ 甲基五氯苯磺酸盐 (0.01)	▲ 甲基五氯苯磺酸盐 (0.01)	▲ 甲基五氯苯磺酸盐 (0.01)	▲ 甲基五氯苯磺酸盐 (0.01)
▲ 甲拌磷 (0.02)	▲ 甲拌磷 (0.02)	▲ 甲拌磷 (0.01)	▲ 甲拌磷 (0.01)	▲ 甲拌磷 (0.01)	▲ 甲拌磷 (0.01)
▲ 皮蝇磷 总量 (0.01)					

欧陆分析技术服务(苏州)有限公司

江苏省苏州市高新区嘉陵江路101号

邮编: 215000

电话 +86 400 828 5088

www.eurofins.cn



扫描二维码查阅报告

Deutsche
Akkreditierungsstelle
D-PL-14292-01-00

△ 皮蝇磷 (0.01)	△ 硅噻菌胺 (0.01)	△ 硫丹 alpha (0.02)	△ 硫丹 beta (0.01)	△ 硫丹 总量 ()	△ 硫丹硫酸酯 (0.01)
△ 硫线磷 (0.02)	△ 碘硫磷 (0.01)	△ 磷胺 (0.02)	△ 稻丰散 (0.02)	△ 稻瘟灵 (0.01)	△ 精噻禾灵 (0.01)
△ 联苯 (0.01)	△ 联苯菊酯 (0.01)	△ 育苗磷 (0.01)	△ 胺菊酯 (0.01)	△ 腐霉利 (0.01)	△ 艾氏剂 (0.01)
△ 芬氟次林 (0.02)	△ 芬硫磷 (0.05)	△ 卡螨酯 (0.01)	△ 苯氟磺胺 (0.01)	△ 苯氟菊酯 (0.02)	△ 苯硫脲(苯硫磷酯) (0.01)
△ 苯线磷 (0.05)	△ 苯腈磷 (0.01)	△ 苯草膦 (0.05)	△ 苯醚菊酯 (0.02)	△ 莠去津 (0.01)	△ 莠灭净 (0.01)
△ 萎锈灵 (0.02)	△ 蔬果磷 (0.01)	△ 虫螨畏 (0.01)	△ 速灭磷 (0.02)	△ 邻苯基苯酚 (0.01)	△ 敌菌酯 (0.01)
△ 噻菌酯(亚胺菌) (0.01)	△ 野麦畏 (0.01)	△ 除线磷 (0.01)	△ 除草醚 (0.01)	△ 除螨酯(芬螨酯) (0.01)	△ 顺式环氧七氯 (0.01)
△ 马拉氧磷 (0.05)	△ 马拉硫磷 总量 ()				

签名

申晓凤

Wind Shen
授权签字人

注释

未检出表示结果小于检出限
LOQ: 定量限
<LOQ: 小于定量限
N/A 表示不适用

总量结果由分量组分的定量值计算得出
报告上如未体现不确定度是基于方法已经包含了测量不确定度或客户明确不要求。
样品名称和样品信息由客户提供及确认，本公司不负责证实客户提供的信息的准确性、关联性、适当性和（或）完整性。
本报告结果仅对受检样品负责。
未经本公司事先书面许可，客户和任何第三人不得节选或删改本报告。使用人应完整使用本报告。
结果仅供客户内部使用，不作为具有证明作用的数据对外公开。未经我公司书面批准，不得擅自使用检测结果及证书进行不当宣传。
本报告适用于欧陆分析服务通用条款
谨代表 欧陆分析技术服务（苏州）有限公司

△在CNAS认可范围内 #在DAKKS认可范围内 □在CMA认可范围内
带☆的检测项目是分包给欧陆分析集团内的实验室检测
带®的检测项目是分包给欧陆分析集团外的实验室检测

报告结束

欧陆分析技术服务（苏州）有限公司
江苏省苏州市高新区嘉陵江路101号
邮编：215000



电话 +86 400 828 5088
www.eurofins.cn



扫描二维码查阅报告